





WETROOMS

| | |
|----------------------------------|-----|
| LEVEL ACCESS & 40MM SHOWER TRAYS | 166 |
| LINEA LEVEL ACCESS TRAY | 168 |
| PANELS | 170 |
| INSTALLATION COMPONENTS | 172 |

| | |
|------------------------------|-----|
| LEVEL ACCESS INSTALLATION | 174 |
| BESPOKE WETROOM SHOWER TRAYS | 176 |



FEATURES

High compression strength of 10 tonnes per m² making it incredibly strong when tiled

High insulation qualities

Perfect gradients

Ideal for concrete or timber floors


Compatible with undertile heating

Easy to fit modular construction

Choice of base shapes, styles and sizes

Choice of waste styles and cover designs

Shower trays can be reduced by 100mm



1. Polystyrene hard foam 2. Contact mortar layer
3. Glass fibre fabric 4. Coating mortar layer

STANDARD PANELS

All our products are manufactured from the highest quality structural hard foam which is water resistant, has high thermal qualities and a special mortar coating with glass fibre reinforcement.

LEVEL ACCESS & 40MM SHOWER TRAYS

FEATURES


30mm low profile shower trays allow the easy installation of level access wetrooms in any domestic application

Improved thermal insulation

Eco-friendly product


SPECIFICATIONS

30mm



- A 0mm
- B 30mm Shower tray / floor panel 20/30mm
- C 50mm Support panel 20mm
- D 100mm Waste space

40mm




- A 40mm Shower base 30/40mm
- B 0mm
- C 65mm Waste space

LEVEL ACCESS SHOWER TRAY 30mm CORNER DRAIN

| | Depth x Width x Height | Product Code | PRICE (£) |
|---|------------------------|--------------|-----------|
|  | 1200 x 900 x 30mm | WRST12X9LEC | £478.80 |
| | 1600 x 900 x 30mm | WRST16X9LEC | £514.80 |

LEVEL ACCESS SHOWER TRAY 30mm CENTRE DRAIN

| | Depth x Width x Height | Product Code | PRICE (£) |
|---|------------------------|--------------|-----------|
|  | 1200 x 900 x 30mm | WRST12X9LCE | £478.80 |
| | 1600 x 900 x 30mm | WRST16X9LCE | £514.80 |

40mm LOW PROFILE SHOWER TRAYS

| | Depth x Width x Height | Product Code | PRICE (£) |
|--|------------------------|--------------|-----------|
|  | 1200 x 900 x 40mm | WRST12X9EC | £358.80 |
| | 1600 x 900 x 40mm | WRST16X9EC | £442.80 |
| | 1800 x 900 x 40mm | WRST18X9CE | £466.80 |

For installation components, see page 172



Photo product list

Simpsons

Glass Panel: 1200mm
Shower Tray: Wetroom
Level Access 1200 x 900mm
Shower Waste: Wetroom Standard
Horizontal Waste

Crosswater

Shower Valve: Glide
Shower Head: Contour

Bauhaus

Furniture: Elite

To see our full range of
products ask your retailer or
visit www.crosswater.co.uk


LINEA LEVEL ACCESS SHOWER TRAY

FEATURES

Increases the insulation value within the bathroom, reducing heat requirement and condensation

15mm gradient

LINEA SHOWER TRAYS 30mm END DRAIN

| | Depth x Width x Height | Product Code | PRICE (£) |
|---|--------------------------|--------------|----------------|
|  | 900 x 900 x 30mm | WRLT0900E | £370.80 |
| | 1200 x 900 x 30mm | WRLT12X9E | £466.80 |
| | 1600 x 900 x 30mm | WRLT16X9E | £490.80 |

REQUIRED INSTALLATION COMPONENTS

| | Product Code | PRICE (£) |
|--|--------------|-----------|
| Universal Shower Tray Installation Kit | WRSTINSTALL | £100.80 |



1 x Pro-Seal Premix 0.5l
1 x 5kg Fixing Adhesive
1 x 5m Waterproof Sealing Tape
2 x Waterproof Internal Corners
1 x 250ml Wood Floor Primer

| | | |
|---|------------|--------|
| Horizontal Trap & Waste for Linea Drain Suitable for Linea tray only | WRHLIWASTE | £47.40 |
|---|------------|--------|




| | | |
|---|-----------|--------|
| Linea Drain Stainless Steel Cover Plate | WRSSPLATE | £46.80 |
|---|-----------|--------|



OPTIONAL COMPONENTS

Wall / floor panels



We advise using panels in all wet areas to ensure both your walls and floor remain fully water resistant, see page 170 for details.




Photo product list

Simpsons

Glass Panel: 900mm

Shower Tray: Wetroom Level

Access 900x900mm

Shower Waste: Wetroom Linea

30mm End Drain with Stainless
Steel Cover Plate

Crosswater

A unique range of designer
brassware solutions.

Bauhaus

A stylish collection of basins,
sanitaryware and a versatile range
of bathroom furniture.

To see our full range of
products ask your retailer or
visit www.crosswater.co.uk

PANELS

FEATURES


High compression strength of 10 tonnes per m² making it incredibly strong when tiled

Insulating product reducing condensation




1. Polystyrene hard foam
2. Contact mortar layer
3. Glass fibre fabric
4. Coating mortar layer

1210mm PANEL



| Depth x Width x Height | Product Code | PRICE (£) |
|--|--------------|---------------|
| 600 x 1210 x 6mm (for use on walls only) | WRMB006 | £28.20 |
| 600 x 1210 x 10mm | WRMB010 | £29.28 |
| 600 x 1210 x 12mm | WRMB012 | £29.88 |

2440mm PANEL



| Depth x Width x Height | Product Code | PRICE (£) |
|--------------------------|--------------|---------------|
| 600 x 2440 x 10mm | WRBD010 | £58.56 |
| 600 x 2440 x 12mm | WRBD012 | £59.76 |
| 600 x 2440 x 30mm | WRBD030 | £67.80 |
| 600 x 2440 x 40mm | WRBD040 | £75.00 |

DÉCOR & BOXING PRODUCTS

Waterproof Recessed Storage Unit 420 x 350 x 180mm



WRRSU42X35 £138.00

Tile weight - One of the great features of Simpsons Wetrooms is its strong adherence to tiles using approved cement based adhesives. This makes Simpsons Wetrooms an ideal product to use with heavy tiles such as natural stone. Dependant on the size of the tiles, Simpsons Wetrooms is suitable for tiles up to 50kg per m². Please ensure the appropriate adhesives and tapes are used in the installation of all Simpsons Wetroom products. Failure to do so will invalidate the product guarantee. See page 172 for fixings and adhesives.

FEATURES

Panels are preformed with adjustable legs

Easy to cut down to size

Faster to install than timber panelling

BATH PANELS



| Depth x Width x Height | Product Code | PRICE (£) |
|--|--------------|---------------|
| Bath panel for bath tub up to 1795mm 1795 x 600 x 30mm | WR1785BP | £71.88 |




| Depth x Width x Height | Product Code | PRICE (£) |
|---|--------------|---------------|
| Bath end panel 805 x 600 x 30mm | WR0800BP | £35.88 |

Please ensure the appropriate adhesives and tapes are used in the installation of all Simpsons Wetroom products. Failure to do so will invalidate the product guarantee. See page 172 for fixings and adhesives.





INSTALLATION COMPONENTS



SHOWER TRAY INSTALLATION KIT

|  | Description | Product Code | PRICE (£) |
|--|---|--------------|----------------|
| | 1 x Pro-Seal Premix 0.5l 1 x 5kg Fixing Adhesive 1 x 5m Waterproof Sealing Tape 2 x Waterproof Internal Corners 1 x 250ml Wood Floor Primer | WRSTINSTALL | £100.80 |




STANDARD HORIZONTAL TRAP & WASTE

| | | | |
|--|---|------------|---------------|
|  | Standard horizontal trap inc. stainless steel grate Universal height adjustment. | WRHSQWASTE | £47.40 |
|  | Tileable waste with standard horizontal trap and waste. This tileable drain is only suitable where the tile thickness + the adhesive is a minimum of 13mm | WRTILWASTE | £47.40 |

LINEA TRAY HORIZONTAL TRAP & WASTE

| | | | |
|--|---|------------|---------------|
|  | Suitable for Linea tray only. | WRHLIWASTE | £47.40 |
|  | Linea Drain Stainless Steel Cover Plate | WRSSPLATE | £46.80 |





FIXINGS

| | | | |
|--|--|-----------|---------------|
|  | 50 x Galvanised fixing washer 35mm | WR035FIXW | £13.20 |
|  | 50 x Fitting set with screw (25mm) & washer (35mm) | WR025FIXS | £15.00 |
|  | 50 x Fitting set with screw (45mm) & washer (35mm) | WR045FIXS | £15.60 |

WATERPROOF TAPES

| | Description | Product Code | PRICE (£) |
|--|--|--------------|---------------|
|  | 120mm x 5m roll waterproof sealing tape | WRTAPE05 | £24.60 |
|  | 120mm x 10m roll waterproof sealing tape | WRTAPE10 | £49.20 |
|  | Waterproof internal corner | WRINTCOR | £8.82 |
|  | Waterproof external corner | WREXTCOR | £8.82 |

ADHESIVES

| | | | |
|---|---|------------|---------------|
|  | 5kg Fix-KST fixing adhesive | WRADH05KG | £16.56 |
| | 20kg Fix-KST fixing adhesive | WRADH20KG | £58.20 |
|  | FIX-MD Mounting and sealing adhesive 310g per cartridge | WRFLEXADH | £22.20 |
|  | 1.2L Pro-Seal PremixTape sealing compound for 10-12m tape | WRTSC1012 | £43.80 |
|  | Wood floor primer, 1L | WRPRIMER1L | £22.74 |

LEVEL ACCESS INSTALLATION

WOOD FLOORS

Fixing a level access wetroom onto a traditionally constructed board and joist floor is straight forward but it's recommended the work is carried out by a qualified professional. A feasibility site survey should also be carried out in advance to ascertain the length, direction of the waste and joists etc.



1. Remove floorboards to the nearest joist where the shower tray will be located.




2. Install the waste ensuring adequate run off.




3. Fix timber supports in between joists - these should be fixed low enough to bring your timber panels to the top of the joist.



4. Fix timber panels to support ensuring a level deck at joist height.



5. Fit shower tray and floor panels to entire floor area using board fixing adhesive and screws.




6. Seal all joints and fixings with waterproof joint sealing tape and corners. Your level access wetroom is now ready to tile.


CONCRETE FLOORS



1. You will need to cut out the concrete floor to recess the waste and tray where appropriate.




2. Fit the horizontal waste into position within the concrete floor.



3. Fit the shower tray into position using fixing adhesive.



4. Fit waterproof corners.



5. Fit floor panels to entire floor area sealing joints with waterproof joint tape.



6. Your level access wetroom is now ready to tile.

FAX BACK ORDER FORM BESPOKE WETROOM SHOWER TRAYS



Fax back to **0845 873 8841**

Please complete this form and return it to your retailer who will then fax it to Simpsons to confirm receipt and acceptance of the order.

RETAILER DETAILS

ORDER REF

COMPANY NAME

ADDRESS

POSTCODE

TEL

FAX

EMAIL

CUSTOMER DETAILS

COMPANY NAME

ADDRESS

POSTCODE

TEL

FAX

EMAIL

SIGNED (retailer)

DATE

SIGNED (customer)

DATE

(tick box to acknowledge)

- ☐ To ensure no delays occur please complete all relevant information and dimensions (mm)
- ☐ All Bespoke products are non - refundable therefore please ensure that all measurements given are from a finished tile to tile area or end tray when using with a side panel.
- ☐ Once the order has been placed you will be liable for any charges should you wish to alter or cancel your order.



FAX BACK ORDER FORM BESPOKE WETROOM SHOWER TRAYS




RETAILER DETAILS

ORDER REF



Bespoke Tray Diagram



Required dimensions are as follows:

Dimension A - length

Dimension B - width

Dimension C - drain distance from edge

Dimension D - drain distance from edge

Item 1 Dimension A [] Dimension B []
 Dimension C* [] Dimension D* []
 Depth of Tray (tick appropriate box)
 30mm [] 40mm []

Item 2 Dimension A [] Dimension B []
 Dimension C* [] Dimension D* []
 Depth of Tray (tick appropriate box)
 30mm [] 40mm []

Item 3 Dimension A [] Dimension B []
 Dimension C* [] Dimension D* []
 Depth of Tray (tick appropriate box)
 30mm [] 40mm []

Bespoke Charge

Closest sized tray plus £150.00

Fax back to **0845 873 8841**

*Leave blank if you require a centrally located drain